Page 1 (9)

LUXAROMA

Issue date: 09/03/2023

Version: 1 (09/03/2023)

# **SAFETY DATA SHEET**

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

Section 1. Identification of the substance or the mixture and of the supplier

1.1 Product Identifier

Product identifier: Espresso Martini LUX 21209(Contains:311-NL Ethyl maltol, Benzyl benzoate)

Other identifiers: None

1.2 Relevant identified uses of the substance of mixture and uses advised against

**Product uses:** Fragrances

1.3 Details of the supplier of the safety data sheet

Company name: Luxaroma Pty Ltd Company address: 27 Union Circuit

> Yatala QLD 4207 Australia

**Contact:** Regulatory Affairs

E-Mail address: info@luxaroma.com.au

Company phone: 1300 888 360

1.4 Emergency telephone number

**Emergency phone:** 1300 888 360

#### Section 2. Hazards identification

# 2.1 Classification of the substance or mixture

Classification under GB GHS UK SI 2020 No. 1567

Class and category of Acute Toxicity - Oral Category 4 danger: Eye Damage / Irritation Category 2

> Hazardous to the Aquatic Environment - Acute Hazard Category 1 Hazardous to the Aquatic Environment - Long-term Hazard Category 2

H302, Harmful if swallowed.

H319, Causes serious eye irritation. H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

Classification under GB GHS UK SI 2020 No. 1567

Signal word: Warning

H302, Harmful if swallowed. **Hazard statements:** 

H319, Causes serious eye irritation.



**LUXAROMA** 

Issue date: 09/03/2023

Version: 1 (09/03/2023)

# **SAFETY DATA SHEET**

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

H400, Very toxic to aquatic life.

H411, Toxic to aquatic life with long lasting effects.

Supplemental Information:

EUH208, Contains 3-Methylbutyraldehyde. May produce an allergic reaction.

Precautionary statements:

P264, Wash hands and other contacted skin thoroughly after handling.

P270, Do not eat, drink or smoke when using this product.

P273, Avoid release to the environment.

P280, Wear protective gloves/eye protection/face protection.

P301/312, IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell. P305/351/338, IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P330, Rinse mouth.

P337/313, If eye irritation persists: Get medical advice/attention.

P391, Collect spillage.

P501, Dispose of contents/container to approved disposal site, in accordance with local

regulations.



**Pictograms:** 

#### 2.3 Other hazards

Other hazards: Sensitisers declared on a CLP

Hazard Label:

3-Methylbutyraldehyde

Hydrocarbon Concentration %:

0.0000%

#### Section 3. Composition / information on ingredients

### 3.2 Mixtures

#### Contains:

Name	CAS	EC	GB REACH Registration No.	%	GB GHS UK SI 2020 No. 1567
Benzyl benzoate	120-51-4	204-402-9		50-100%	Acute Tox. 4-Aquatic Acute 1-Aquatic Chronic 2;H302-H400- H411,-
602-NL Vanillin	121-33-5	204-465-2		10-<20%	Eye Irrit. 2;H319,-
311-NL Ethyl maltol	4940-11-8	225-582-5		5-<10%	Acute Tox. 4;H302,-
Acetoin	513-86-0	208-174-1		1-<5%	Flam. Liq. 3-STOT RE 2;H226-H373,-





Version: 1 (09/03/2023)

# SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

183-NL (BHT) Butylated hydroxytoluene	128-37-0	204-881-4	1-<5%	Aquatic Acute 1- Aquatic Chronic 1; H410,-
Butyric acid	107-92-6	203-532-3	0.1-<1%	Acute Tox. 4-Skin Corr. 1B-Eye Dam. 1;H302- H314,-
3-Methylbutyraldehyde	590-86-3	209-691-5	0.1-<1%	Flam. Liq. 2-Eye Irrit. 2- Skin Sens. 1B-STOT SE 3-Aquatic Chronic 2;H225-H317-H319- H335-H411,-

#### **GB** workplace exposure limits:

Not Applicable

Substances that are persistent, bioaccumulative and toxic or very persistent and very bioaccumulative, greater than 0.1%:

Not Applicable

#### Section 4. First-aid measures

## 4.1 Description of first aid measures

**Inhalation:** Remove from exposure site to fresh air, keep at rest, and obtain medical attention.

**Eye exposure:** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing.

**Skin exposure:** Remove contaminated clothes. Wash thoroughly with soap and water. Contact physician if

irritation persists.

**Ingestion:** IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.

## 4.2 Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Causes serious eye irritation.

# 4.3 Indication of any immediate medical attention and special treatment needed

None expected, see Section 4.1 for further information.

#### **Section 5: Firefighting measures**

# 5.1 Extinguishing media

Suitable media: Carbon dioxide, Dry chemical, Foam.

# 5.2 Special hazards arising from the substance or mixture

In case of fire, may be liberated: Carbon monoxide, Unidentified organic compounds.

# 5.3 Advice for fire fighters:

In case of insufficient ventilation, wear suitable respiratory equipment.





Version: 1 (09/03/2023)

# SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

#### Section 6. Accidental release measures

## 6.1 Personal precautions, protective equipment and emergency procedures:

Avoid inhalation. Avoid contact with skin and eyes. See protective measures under Section 7 and 8.

#### 6.2 Environmental precautions:

Keep away from drains, surface and ground water, and soil.

## 6.3 Methods and material for containment and cleaning up:

Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of vapours. Contain spillage immediately by use of sand or inert powder. Dispose of according to local regulations.

#### 6.4 Reference to other sections:

Also refer to sections 8 and 13.

# Section 7. Handling and storage

#### 7.1 Precautions for safe handling:

Do not eat, drink or smoke when using this product.

#### 7.2 Conditions for safe storage, including any incompatibilities:

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Ground/bond container and receiving equipment. Use explosion-proof electrical, ventilating and lighting equipment. Use only non-sparking tools. Take precautionary measures against static discharge.

#### 7.3 Specific end use(s):

Fragrances: Use in accordance with good manufacturing and industrial hygiene practices.

### Section 8. Exposure controls/personal protection

## 8.1 Control parameters

Workplace exposure limits: Not Applicable

## 8.2 Exposure Controls

## Eye / Skin Protection

Wear protective gloves/eye protection/face protection

#### **Respiratory Protection**

Under normal conditions of use and where adequate ventilation is available to prevent build up of excessive vapour, this material should not require special engineering controls. However, in conditions of high or prolonged use, or high temperature or other conditions which increase exposure, the following engineering controls can be used to minimise exposure to personnel: a) Increase ventilation of the area with local exhaust ventilation. b) Personnel can use an approved, appropriately fitted respirator with organic vapour cartridge or canisters and particulate filters. c) Use closed systems for transferring and processing this material.



**LUXAROMA** 

Issue date: 09/03/2023

Version: 1 (09/03/2023)

# **SAFETY DATA SHEET**

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

Also refer to Sections 2 and 7.

# Section 9. Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Appearance:

Odour:

Not determined

Not determined

Odour threshold:

Not determined

Not determined

Not determined

Not determined

Melting point / freezing point:

Not determined

Not determined

Not determined

Flash point: > 85 °C

**Evaporation rate:** Not determined **Flammability (solid, gas):** Not determined

Upper/lower flammability or explosive limits: Product does not present an explosion hazard

Vapour pressure: Not determined Vapour density: Not determined Relative density: Not determined Solubility(ies): Not determined Partition coefficient: n-octanol/water: Not determined **Auto-ignition temperature:** Not determined **Decomposition temperature:** Not determined **Viscosity:** Not determined **Explosive properties:** Not expected Oxidising properties: Not expected

**9.2 Other information:** None available

### Section 10. Stability and reactivity

# 10.1 Reactivity:

Presents no significant reactivity hazard, by itself or in contact with water.

## 10.2 Chemical stability:

Good stability under normal storage conditions.

# 10.3 Possibility of hazardous reactions:

Not expected under normal conditions of use.

#### 10.4 Conditions to avoid:

Avoid extreme heat.

## 10.5 Incompatible materials:

Avoid contact with strong acids, alkalis or oxidising agents.





Issue date: 09/03/2023 Version: 1 (09/03/2023)

SAFETY DATA SHEET

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

10.6 Hazardous decomposition products:

Not expected.

# Section 11. Toxicological information

## 11.1 Information on toxicological effects

This mixture has not been tested as a whole for health effects. The health effects have been calculated using the methods outlined in GB GHS UK SI 2020 No. 1567.

Acute Toxicity: Acute Toxicity - Oral Category 4

Acute Toxicity Oral 1981 Acute Toxicity Dermal >5000

Acute Toxicity Inhalation Not Available

**Skin corrosion/irritation:** Based on available data the classification criteria are not met.

Serious eye damage/irritation: Eye Damage / Irritation Category 2

Respiratory or skin sensitisation:

Germ cell mutagenicity:

Based on available data the classification criteria are not met.

Carcinogenicity:

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

Based on available data the classification criteria are not met.

## Information about hazardous ingredients in the mixture

Ingredient	CAS	EC	LD50/ATE Oral	LD50/ATE Dermal	LC50/ATE Inhalation	LC50 Route
311-NL Ethyl maltol	4940-11-8	225-582-5	1200	Not available	INot available	Not available
Benzyl benzoate	120-51-4	204-402-9	1500	4000	INOT available	Not available

Refer to Sections 2 and 3 for additional information.

## **Section 12. Ecological information**

### 12.1 Toxicity:

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

12.2 Persistence and degradability:Not available12.3 Bioaccumulative potential:Not available12.4 Mobility in soil:Not available

12.5 Results of PBT and vPvB assessment:

This substance does not meet the PBT/vPvB criteria of GB REACH UK SI 2020 No. 1577.

**12.6 Other adverse effects:** Not available





Version: 1 (09/03/2023)

# **SAFETY DATA SHEET**

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

## Section 13. Disposal considerations

#### 13.1 Waste treatment methods:

Dispose of in accordance with local regulations. Avoid disposing into drainage systems and into the environment. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## **Section 14. Transport information**

	14.1 UN number:	14.2 UN Proper Shipping Name:	14.3 Transport hazard class (es):	Sub Risk:	14.4 Packing Group:
UN Model Regulations	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 183-NL (BHT) Butylated hydroxytoluene)	9	-	III
IMDG	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 183-NL (BHT) Butylated hydroxytoluene) MARINE POLLUTANT	9	-	III
ADR,RID,ADN	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 183-NL (BHT) Butylated hydroxytoluene)	9	-	III
ICAO TI	UN3082	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Benzyl benzoate, 183-NL (BHT) Butylated hydroxytoluene)	9	-	III

14.5 Environmental hazards: This is classified as an environmentally hazardous substance under the UN

Model Regulations. This is classified as a Marine Pollutant under the IMDG

Code.

14.6 Special precautions for user: None additional

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:

Not applicable

## Section 15. Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

None additional

#### 15.2 Chemical Safety Assessment

A Chemical Safety Assessment has not been carried out for this product.

# **Section 16. Other information**

**Concentration % Limits:** EDI 2=57.08% EH A1=40.95% EH C2(GB)=33.94% EH C3(GB)=3.39%

EH C4(GB)=40.95%

**Total Fractional Values:** EDI 2=1.75 EH A1=2.44 EH C2(GB)=2.95 EH C3(GB)=29.46 EH C4(GB)

=2.44



Version: 1 (09/03/2023)

# **SAFETY DATA SHEET**

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

Key to revisions:

Not applicable

# Key to abbreviations:

Abbreviation	Meaning	
Acute Tox. 4	Acute Toxicity - Oral Category 4	
Aquatic Acute 1	Hazardous to the Aquatic Environment - Acute Hazard Category 1	
Aquatic Chronic 1	Hazardous to the Aquatic Environment - Long-term Hazard Category 1	
Aquatic Chronic 2	Hazardous to the Aquatic Environment - Long-term Hazard Category 2	
Eye Dam. 1	Eye Damage / Irritation Category 1	
Eye Irrit. 2	Eye Damage / Irritation Category 2	
Flam. Liq. 2	Flammable Liquid, Hazard Category 2	
Flam. Liq. 3	Flammable Liquid, Hazard Category 3	
H225	Highly flammable liquid and vapour.	
H226	Flammable liquid and vapour.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H317	May cause an allergic skin reaction.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	
H373	May cause damage to organs (organs) through prolonged or repeated exposure (exposure route).	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
P210	Keep away from heat, sparks, open flames and hot surfaces No smoking.	
P233	Keep container tightly closed.	
P240	Ground/bond container and receiving equipment.	
P241	Use explosion-proof electrical, ventilating and lighting equipment.	
P242	Use only non-sparking tools.	
P243	Take precautionary measures against static discharge.	
P260	Do not breathe vapour or dust.	
P261	Avoid breathing vapour or dust.	
P264	Wash hands and other contacted skin thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P271	Use only outdoors or in a well-ventilated area.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/eye protection/face protection.	
P301/312	IF SWALLOWED: call a POISON CENTER or doctor/physician if you feel unwell.	
P301/330/331	If swallowed: Rinse mouth. Do not induce vomiting.	
P303/361/353	IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.	
P304/340	IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.	



Page 9 (9)
Issue date: 09/03/2023

Version: 1 (09/03/2023)

# **SAFETY DATA SHEET**

In accordance with GB REACH UK SI 2020 No. 1577

**Product:** Espresso Martini LUX 21209

Version: 1

P305/351/338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P310	Immediately call a POISON CENTER or doctor/physician.	
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.	
P314	Get medical advice/attention if you feel unwell.	
P330	Rinse mouth.	
P333/313	If skin irritation or rash occurs: Get medical advice/attention.	
P337/313	If eye irritation persists: Get medical advice/attention.	
P363	Wash contaminated clothing before reuse.	
P370/378	In case of fire: Use carbon dioxide, dry chemical, foam for extinction.	
P391	Collect spillage.	
P403/233/235	Store in a well-ventilated place. Keep container tightly closed. Keep cool.	
P403/235	Store in a well-ventilated place. Keep cool.	
P405	Store locked up.	
P501	Dispose of contents/container to approved disposal site, in accordance with local regulations.	
STOT RE 2	Specific Target Organ Toxicity (Repeated Exposure) Category 2	
STOT SE 3	Specific Target Organ Toxicity (Single Exposure) Category 3	
Skin Corr. 1B	Skin Corrosion / Irritation Category 1B	
Skin Sens. 1B	Sensitization - Skin Category 1B	

The information in this safety data sheet is to the best of our knowledge true and accurate but all data, instructions, recommendations and/or suggestions are made without guarantee.